


# M1-101IC-AA3

## 10.1" Android All-in-One Touch Computer



DC-IN Jack SIM USB 3.0 Host USB 2.0 OTG USB 3.0 Type-A RJ45 LAN w/POE

### Description

The Mach M1-101IC-AA3 10.1" Android All-in-One touch computer combines commercial-grade robustness with a consumer-grade design to create a high-performance, versatile, built for purpose computing platform featuring the MTK 8390 processor. This full HD, 8-bit, LED panel, projected capacitive, 10 touch sensor features advanced optical bonding and an etched anti-glare surface. The M1-101IC-AA3 increases clarity and viewing angle while reducing distracting reflections and fingerprints. Smart peripherals include: 2D bar code scanner, multi-color LED status bar, 5MP camera, and 3-track MSR. The result is the modern, stylish look you want, the smoothness and superior performance you need and the versatility for any application.

### Featured Specifications

- Size: 10.1" TFT LCD
- Processor: MediaTek Genio 700 (MT8390)
- OS: Android 13 GMS
- Maximum Resolution: 1280 x 800
- Contrast Ratio: 900:1
- Aspect Ratio: 16:10
- Brightness: 400 nits (No Touch), 360 nits (PCAP)
- View Angle: H: 170°, V: 170°
- Warranty: 3 year

# Specifications

---

## System Configuration

Processor	MediaTek Genio 700 (MT8390)
GPU	Mali-G57 MC3
APU	1 x MDLA3.0 + 1 x VP6
System Memory	8GB
Storage Device	64GB eMMC
Wi-Fi & Bluetooth	802.11 a/b/g/n/ac/ax, Bluetooth 5.2 (BLE Supported)

## Touch LCD Display

Touch Screen	Projected Capacitive, 10 points
Brightness	400 nits (No Touch), 360 nits (PCAP)
Surface Treatment	Etched AG, Optically Bonded
Contrast Ratio	900:1
Aspect Ratio	16:10
View Angle	H: 170°, V: 170°
Hardness	7H Hardness durable glass

## I/O Ports

USB Port	2 x USB-C (USB 3.0, PD 5V/12V@3A, DP-Alt mode) 1 x USB-A (USB 3.0) 3 x USB-C (USB 2.0 Peripheral Connection)
LAN Port	1 X RJ45 Gigabit Lan
Audio Port	1 x Audio-Output / Mic Input (3.5 mm Mini-Jack)
Power Input	12V DC
POE	Included 60W/90W

## Operating System

OS	Android 13 GMS
----	----------------

# Specifications (cont.)

## Physical Properties

Speaker	1 x 2W Stereo
Orientation	Portrait/landscape/tabletop
Camera	5MP Front Facing
Housing Color	Black
Construction	Plastic, Glass, SECC Metal
Compliance	Front Panel IP65 Compliant
Dimensions (W x H x D) mm	255.8 x 169.4 x 34.5 mm (without stand)
Carton (W x H x D) mm	335 x 295 x 630 mm (without stand)
Net Weight (kg)	1 kg
Gross Weight (kg)	7.3 kg
VESA	75 x 75
Ball Drop / IK	IK07

## Safety

Certifications	CE, FCC, UL/cUL, NOM, RoHS, UKCA, RCM, PSE
----------------	--

## Environment

Operating Temperature	0°C ~ 40°C, 20% ~ 80% RH. Non-Condensing
Storage Temperature	-20°C ~ 60°C, 20% ~ 90% RH. Non-Condensing

## Optional Peripheral

MSR	MA-MSR-A1
Camera	MA-CAM-A1
Light Bar	MA-LBAR-A1
Bar Code Scanner	MA-SCAN-A1



[www.MicroTouch.com](http://www.MicroTouch.com) | [us.orders@microtouch.com](mailto:us.orders@microtouch.com)

MicroTouch Interactive, Inc.  
200 East Broadway Avenue, Maryville, TN 37804 | (616) 786-5353

The information presented in this specification sheet is intended as general information about MicroTouch products and is subject to change. Product specifications and warranties will be governed by MicroTouch Interactive, Inc. standard terms and conditions of sale. Products are subject to availability. Copyright © 2025 MicroTouch Interactive, Inc. All rights reserved. MT24-1183 - 032425